


(X+1) (Y-2)


Practice Test


1) What is an equation of the function shown in the












4) What is the vertex of the equation $x^2 - x - 2 = 0$?



1.
$$(x+7)(x+1) = 0$$


2. $(x-7)(x-1) = 0$

3.
$$(x+7)(x-1) = 0$$

 $(x-7)(x+1) = 0$

$$(4.)(x-7)(x+1) = 0$$

6) Which of the following equations in vertex form represents completing of the square of
$$y = 3x^2 + 6x - 9$$
? Check graphically



$$2x^{2}-x=7?$$

$$-)-1$$

$$2 = 2$$

$$-1 \pm \sqrt{57}$$

$$2 = -(-1) \pm \sqrt{(-1)^{2}-4(2)}$$


$$3 = -(-1) \pm \sqrt{(-1)^{2}-4(2)}$$

$$4 = -(-1) \pm \sqrt{(-1)^{2}-4(2)}$$

8) If
$$f(x) = 2x^2 - x - 4$$
 The values of a, b, c are $Q = 2$ $b = -1$ $C = -4$

4.
$$a = -2$$
 $b = -1$ $c = -4$


9) If Maya completes the square for $f(x) = x^2 - 6x$ + 13 in order to find the minimum, she must write f(x) in the general form $f(x) = (x - a)^2 + b$. What is the value of a for f(x)?



10) A possible function for the cube function is

1.
$$f(x) = (x-1)(x-4)(x-6)$$

2. $f(x) = (x+1)(x+4)(x+6)$
3. $f(x) = \frac{-1}{2}(x-1)(x-4)(x-6)$
4. $f(x) = \frac{-1}{2}(x-2)(x-1)(x+4)$



$$2^{nd} X + 1 = 12$$

- 21. Given two consecutive positive integers have a product of 132.
 - Write an equation that can be used to find the integers.

$$(x+1) = 132$$

 $(x+1) = 132$

b. Find the integers algebraically by any method.

$$\begin{array}{c|c} x^{2}+x-132=0 & x=11 \\ (x+12)(x-11)=0 & \\ x+12=0 & x-11=0 \\ -12-12 & x=11 \end{array}$$

22. The width of a rectangular window is w. the length is 7 more than the width. the area of the window is 44 a. Write an equation that can be used to find the width of the window.

A =
$$W(L)$$


 $44 = w(W+7)$
 $44 = w^2 + 7W$
b. Solve the equation algebraically by any method.

0

0 = W2+7W-44

$$0 = (\omega + 11) (\omega + 4)$$
 $\omega = 4$
 $\omega + 11 = 0$ $\omega - 4 = 0$
 $\omega = -11$ $\omega = 4$

23. A rock is thrown from the top of a tall building. The distance, in feet, between the rock and the ground t 200 (2.5,320) seconds after it is thrown is given by $d = -16t^2 + 80t + 220$.



b. After how many minutes does the rock reaches the maximum height?

c. What is the maximum height that the rock reaches?

d. When does the rock hit the ground?



Find the time it will take the rock to get to that maximum height algebraically.

$$X = \frac{-80}{2(-16)}$$

$$X = \frac{80}{32} = 2.5$$

$$X = 2.5$$

$$X = 2.5$$



24.
$$x^2 - 4x - 8 = 0$$

a. By the Quadratic Formula:

$$0 = 1 \qquad b = -4 \qquad c = -8$$

$$X = \frac{-(-4) \pm \sqrt{(-4)^2 + (1)(-8)}}{2(1)}$$

$$X = \frac{4 \pm \sqrt{148}}{2}$$

$$X = \frac{2 \pm 2\sqrt{3}}{2}$$

b. By Completing the square. $\chi^{2}-4\chi-8=0$ $\frac{-4}{2}=(-2)^{2}-4$ x2-4x+4)-4-8=0 J(X-2)2=J12 X= 2+413

x=2±2/3

HW Review Questions

1) If 3x is one factor of $3x^2 - 9x$, what is the other factor? 3X(x-3)

2) Which is a factor of $x^2 + 5x - 24$?

- 1. (x+4) 3. (x-4) (x+3) (x+3) (x+3) 3. (x-4) (x-3) 3. One of the factors of $4x^2 9$ is 1. (x+3) 3. (2x+3) 2. (4x-3) 4. (x-3)

4) Factor: $2x^2 - x - 3$ (2x - 3)(x + 1)

- 1. (2x-3)(x+1)(x-1)(2x-3)
 - 3. (2x + 1)(x 3)
 - (x-1)(2x-3)

5) Written in simplest factored form, the binomial $2x^2 - 50$ can be expressed as

1.
$$2(x-5)(x-5)$$

2. $2(x-5)(x+5)$
2. $2(x-5)(x+5)$
2. $2(x-5)(x+5)$
4. $2x(x-50)$

6) Which is an irrational number?

- 2. $\sqrt{9} = 3$
- 3. 3.14

7) What is $\sqrt{72}$ expressed in simplest radical form?

8) The expression $\sqrt{27} + \sqrt{12}$ is equivalent to

9) The domain for $f(x) = x^2 - 3$ is 0 < x < 4. The range of f(x) is

- 1. 0 < x < 4 2. $0 \le y \le 4$
- 3. -3 < y < 13 4. $-3 \le y \le 13$

10) If $f(x) = x^2 + 3x - 5$, find the value of f(3).



Extra:

1. Rewrite the following quadratic into the standard form equation:

$$\frac{1}{x+1} = x-4$$

- 11. Assume that a producer knows that the demand for the next CD by One Direction can be modeled by the equation $S(n)=-13n^2+169n$, where n represents the number of weeks since the release of the CD and S(n) is the dollar value in thousands of the CDs sold.
 - a) Graph the above model using appropriate windows on the calculator. Make a sketch
 - b) When do we expect the sales of the CD to peak?
 - c) When will the sales reach \$0? Find the answer graphically.
 - d) Find the answer algebraically.
- 12. The length of a rectangle is represented by 5a and the width is represented by (a+1).
 - a. Express the area of the rectangle as a binomial in terms of a.
 - b. Find the dimensions of the rectangle if the area is 30 graphically.
 - c. Find the answer algebraically.
- 25. The length of a rectangle is represented by 7a and the width is represented by (a+5) and the area is 98
 - a. Express the area of the rectangle as a binomial in terms of a.
 - b. Find the length and width of the rectangle.